




General Accreditation Criteria

NATA Logo for the Diagnostic Imaging Accreditation Scheme (DIAS)

November 2022



© Copyright National Association of Testing Authorities, Australia 2013


This publication is protected by copyright under the Commonwealth of Australia Copyright Act 1968.

NATA's accredited facilities or facilities seeking accreditation may use or copy this publication or print or email this publication internally for accreditation purposes.

Individuals may store a copy of this publication for private non-commercial use or copy a reasonable portion of this publication in accordance with the fair dealing provisions in Part III Division 3 of the Copyright Act 1968.

You must include this copyright notice in its complete form if you make a copy of this publication.

Apart from these permitted uses, you must not modify, copy, reproduce, republish, frame, upload to a third party, store in a retrieval system, post, transmit or distribute this content in any way or any form or by any means without express written authority from NATA.



NATA’s Diagnostic Imaging Accreditation Scheme (DIAS) logo

Purpose

This document describes the NATA DIAS logo which is available for use by practices accredited by NATA under the Diagnostic Imaging Accreditation Scheme (DIAS). The conditions for the use of the NATA emblem are detailed in NATA’s *Use of the NATA emblem, NATA endorsement and references to accreditation*.

Note: the NATA emblem (as defined in Schedule 1 of the NATA Rules) is not to be used by Diagnostic Imaging practices accredited under DIAS.

The NATA DIAS logo


The NATA logo available for use by practices accredited under DIAS consists of the NATA emblem, accompanied by the following mandatory statement:

Accredited under the Diagnostic Imaging Accreditation Scheme

The NATA emblem and mandatory statement have been combined in a single image to form the NATA DIAS logo which is available from the NATA website.

The colours of the logo must be reproduced as follows:

- Printing colours:
Blue: PMS 2747; C100 M85 Y0 K13; R0 G37 B123
Orange: PMS 152; C0 M51 Y100 K1; R229 G114 B0



The logo may also be reproduced in either black or white (The background for these examples need not necessarily be white or black respectively.)

It is expected that all practices accredited under DIAS will have ceased using the NATA Assessed logo by 31 December 2017.

AMENDMENT TABLE

The table below provides a summary of changes made to the document with this issue.

Section	Amendment
Transition	The transition arrangements for the old NATA assessed logo expired in 2017 and have been removed from the document.